

East Allen County Schools
Erate Funding Year 2017 Category 2 RFP

(Pricing presented should detail cost/ list percentage of each item that is ERate eligible and ineligible.)

Firewall for NOC 1 (800 Homestead, New Haven, IN 46774)

Quantity

1	FS-VMW-SW-K9 / Cisco Firepower Management Center, (VMWare) for 25 devices or equivalent
1	CON-SAU-VMW / SW APP SUPP + UPGR Virtual FireSIGHT Software or equivalent (12 month)
1	FPR4110NGFW-BUN-PR / Cisco Firepower 4110 NGFW Bundle Promotion or equivalent
1	FPR4110-NGFW-K9 / Cisco Firepower 4110 NGFW Appliance, 1U, 2 x NetMod Bays or equivalent
1	CON-SW-FPR4110N / SNTC-NO RMA Cisco Firepower 4110 or equivalent (12 month)
1	FPR4K-PWR-AC-1100 / Firepower 4000 Series 1100W AC Power Supply or equivalent
2	CAB-TA-NA / North America AC Type A Power Cable or equivalent
1	SF-FXOS4K-1.1-K9 / Firepower Extensible Operating System (FXOS) for FPR4K or equivalent
1	SF-FPR-TD6.0.1-K9 / Cisco Firepower Threat Defense software v6.0.1 or equivalent
1	FPR4K-SSD200 / Firepower 4000 Series SSD for FPR-4110/4120 or equivalent
1	FPR4K-SSD-BBLKD / Firepower 4000 Series SSD Slot Carrier or equivalent
1	FPR4K-ACC-KIT / FPR4K Hardware Accessory Kit (Rack Mounts, Cables) or equivalent
6	FPR4K-FAN / Firepower 4000 Series Fan or equivalent
1	FPR4K-PWR-AC-1100 / Firepower 4000 Series 1100W AC Power Supply or equivalent
1	FPR4K-RACK-MNT / Firepower 4000 Series Rack Mount Kit or equivalent
1	GLC-T / 1000BASE-T SFP or equivalent
1	FPR4K-NM-BLANK / Firepower 4000 Series Network Module Blank Slot Cover or equivalent
1	FPR4K-NM-BLANK / Firepower 4000 Series Network Module Blank Slot Cover or equivalent
1	L-FPR4110T-TMC= / Cisco FPR4110 Threat Defense Threat, Malware and URL License or equivalent
1	L-FPR4110T-TMC-3Y / Cisco FPR4110 Threat Defense Threat, Malware and URL 3Y Subs or equivalent (36 month)

CORE Switch for NOC 1 (800 Homestead, New Haven, IN 46774)

Cisco Catalyst 3850 24 Port 10G Fiber Switch IP Services or equivalent

Quantity

2	WS-C3850-24XS-E / Cisco Catalyst 3850 24 Port 10G Fiber Switch IP Services or equivalent
2	CON-SW-WS850XSE / SNTC-NO RMA Cisco Catalyst 3850 24 Port 10G Fiber Sw or equivalent (12 month)
2	S3850UK9-37E / CAT3850 Universal k9 image or equivalent
2	PWR-C1-715WAC/2 / 715W AC Config 1 Secondary Power Supply or equivalent
4	CAB-TA-NA / North America AC Type A Power Cable or equivalent
2	CAB-SPWR-30CM / Catalyst 3750X and 3850 Stack Power Cable 30 CM or equivalent
2	C3850-NM-BLANK / Cisco Catalyst 3850 Network Module Blank or equivalent
2	PWR-C1-715WAC / 715W AC Config 1 Power Supply or equivalent
2	STACK-T1-1M / 1M Type 1 Stacking Cable or equivalent
2	WS-C3850-48U-E / Cisco Catalyst 3850 48 Port UPOE IP Services or equivalent

SNTC-NO RMA Cisco Catalyst 3850 or equivalent

Quantity

2	CON-SW-WS3848UE / CAT3850 Universal k9 image or equivalent (12 month)
2	S3850UK9-37E / 1100W AC Config 1 Secondary Power Supply or equivalent
2	PWR-C1-1100WAC/2 / North America AC Type A Power Cable or equivalent
4	CAB-TA-NA / Catalyst 3750X and 3850 Stack Power Cable 30 CM or equivalent
2	CAB-SPWR-30CM / 1100W AC Config 1 Power Supply or equivalent
2	PWR-C1-1100WAC / Cisco Catalyst 3850 Network Module Blank or equivalent
2	C3850-NM-BLANK / 1M Type 1 Stacking Cable or equivalent
2	STACK-T1-1M / Catalyst 2960-X 48 GigE PoE 740W, 2 x 10G SFP+, LAN Base or equivalent

School Buildings

Quantity

92	<u>WS-C2960X-48FPD-L / SNTC-NO RMA Catalyst 2960-X 48 GigE PoE 740W, 2 x 10 or equivalent</u>
92	CON-SW-WSC296XL / AC Power cord, 16AWG or equivalent (12 month)
92	CAB-16AWG-AC / Catalyst 2960-X FlexStack Plus Stacking Module optional or equivalent
88	<u>C2960X-STACK= / Cisco FlexStack 1m stacking cable or equivalent</u>
88	CAB-STK-E-1M / 10GBASE-SR SFP Module, Enterprise-Class or equivalent
16	<u>SFP-10G-SR-S= / Cisco Bladeswitch 3M stack cable or equivalent</u>
16	<u>CAB-STK-E-3M= / 3M Type 1 Stacking Cable or equivalent</u>
1	<u>STACK-T1-3M= / 3M Type 1 Stacking Cable or equivalent</u>

Quantity

1	vBand or eBand 500 Mbps aggregate PoE wireless link for New Haven High School
---	---

Please include separate pricing for any additional charges, if any, such as shipping, handling, software, licensing, installation, etc., and basic maintenance.

Requirements for Proposal Consideration:

- 1. All responses and inquiries must be sent to Eastallen.2017@naa.com**
- The services we are seeking may include a contract featuring extensions.
- Price quotes should be provided in both an Excel format and USAC Template, and include an itemization of all services, equipment and, at minimum, an estimate of taxes, fees and other charges, actual or anticipated.
- Eligible and ineligible E-rate products and services and their associated costs should be identified.
- Bidders are expected to provide Lowest Corresponding Price.
- Any questions regarding this Form 470 and /or any associated RFP must be submitted no later than two (2) calendar weeks prior to the allowable contract date.
- Indiana school procurement is governed by Indiana Purchasing Statute: <http://www.in.gov/idoa/2944.htm>
- Failure to comply with any of the above requirements may be cause for disqualification.