

All bid deadlines are 11:59pm Pacific Time the date of the bid deadline listed unless otherwise noted.

South Coffeyville District 51

 **IFCB Posted** : Oct 8, 2026

 **Bid Deadline** : Friday, Nov 27, 2026

 **Questions Due By** : Friday, Oct 23, 2026

 **Applicant Address** : South Coffeyville, OK 74072

 **IFCB ID** : 270001682

IFCB Requirements :

- Before the listed deadlines, all Questions and Bids must be submitted using the on-line IFCB system. Bids submitted before the bid deadline outside of this system will be disqualified. If the system is down before the deadline, please email your bid to info@crwconsulting.com or fax it to 918.445.0049. Bids or questions submitted in this fashion will be disqualified if the on-line system is active at the time of submission. The applicant reserves the right to request and obtain bids outside of the website system if the bid deadline has passed and zero or one bid is received (the intent for this is to follow USAC guidance on obtaining cost-effective bids).
- For all requested services and/or products listed on this IFCB: proposals that include generic/encyclopedic price lists will be considered non-responsive and will be disqualified. SPAM and/or robotic responses will not be considered valid bid responses and will be disqualified from consideration.
- Bidder must agree to participate in USF Program (AKA "E-rate") for the corresponding funding year.
- Please include the correct Service Provider Identification Number (SPIN) on your bid.
- By submitting a bid, bidder certifies that the bidder does have a valid (non-red light status) SPIN for the E-rate program at the time of submission. Should the Applicant discover that the bidder is on red light status, or if the FCC classifies the bidder as on red-light status before work is performed and invoices are paid, the contract will be null and void and the applicant will have no payment obligations to the bidder.
- Bidder is expected to provide the lowest corresponding price per E-rate rules. See <https://www.usac.org/e-rate/service-providers/step-2-responding-to-bids/lowest-corresponding-price/> for details.
- Contracts must not prohibit SPIN changes.
- Bidder must agree to provide the Applicant the choice of discount methods (SPI or BEAR).
- Bidder will be automatically disqualified if the District determines that the bidding company has offered any employee of the District any individual gift of more than \$20 or gifts totaling more than \$50 within a 12 month period.
- All contracts awarded will be contingent upon E-rate funding and final board approval. The applicant may choose to do all or part of the project upon funding notification.
- All applicable fees, surcharges, and taxes must be identified on the bid. E-rate rules require the applicants to evaluate the price of eligible goods and services that will be listed on the 471 application during the competitive bidding process. Fees and surcharges that apply but are not listed on the bid will be the responsibility of the bidding company, should their bid be awarded.
- If there is a request to purchase or lease new equipment, either Category Two or Category One, listed on this IFCB the applicant will accept bids for functionally equivalent equipment.
- **DISQUALIFICATION FACTOR INTERNAL CONNECTIONS:** The applicant will not accept bids from manufacturers of equipment deemed a national security threat by the Federal Communications Commission. The list of prohibited equipment is available here: <https://www.fcc.gov/supplychain/coveredlist> . Vendors that submit bids that includes these manufacturers will have their bid disqualified.

- DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Vendors must complete and include the C2 Cover Page with their bid. Bids received without the cover page will be disqualified.
- DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Service providers are required to bid the entire hardware project. Bids for individual components, or bids that do not include all of the requested items for the project will be disqualified.
- DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Applicant will not accept bids for refurbished equipment. Any bids containing refurbished equipment will be disqualified.
- DISQUALIFICATION FACTOR MIBS: Vendors must complete and include the C2 Cover Page with their bid. Bids received without the cover page will be disqualified.
- DISQUALIFICATION FACTOR MIBS: Service providers are required to bid the entire Project A and/or Project B. Bids for individual components, or bids that do not include all of the requested items for the project will be disqualified.

Services and Equipment Requested :

10/8/26 UPDATE: THE QUESTION DEADLINE HAS BEEN UPDATED TO 10/23/26. THE BID DEADLINE HAS BEEN UPDATED TO 11/27/26. THE VOLUNTARY SITE VISIT DATES HAS BEEN UPDATED TO 10/19/26 AND 10/22/26. VENDORS MUST STILL EMAIL GEORGE NOBLITT TO RSVP TO SET UP A TIME ON THOSE DATES. THIS EMAIL IS TO RSVP ONLY.

Category Two:
VOLUNTARY SITE VISIT

Vendors wishing to bid on C2 can attend a voluntary site visit on ~~October 15, 2026~~ October 19th, 2026 and October 22nd, 2026. Vendors should RSVP to George Noblitt gnoblitt@scps.k12.ok.us to set up a time for a site visit on ~~October 15, 2026~~ October 19th, 2026 and October 22nd, 2026. **THIS EMAIL IS TO RSVP ONLY. ALL QUESTIONS AND BIDS MUST STILL BE SUBMITTED VIA THE IFCB. BIDS NOT SUBMITTED VIA THE IFCB WILL BE DISQUALIFIED.**

INTERNAL CONNECTIONS

The 3 smaller racks either have no or substandard or malfunctioning aged battery backup units. This will give the 3 smaller racks online power protection. No installation needed.

Type of Equipment	Quantity Vendor Should Bid	Preferred Make/Manufacturer
UPS/Battery Backup	3	Easy UPS On-Line, 1000VA, Lithium ion, Rack/Tower 2U, 120V, 6 NEMA 5-15R outlets, Intelligent Card Slot, W/ rail kit

DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: The applicant will not accept bids from manufacturers of equipment deemed a national security threat by the Federal Communications Commission. The list of prohibited equipment is available here: <https://www.fcc.gov/supplychain/coveredlist> . Vendors that submit bids that includes these manufacturers will have their bid disqualified.

DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Vendors must complete and include the C2 Cover Page with their bid. Bids received without the cover page will be disqualified.

DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Service providers are required to bid the entire hardware project. Bids for individual components, or bids that do not include all of the requested items for the project will be disqualified.

DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Applicant will not accept bids for refurbished equipment. Any bids containing refurbished equipment will be disqualified.

Managed Internal Broadband Service (MIBS):
MIBS PROJECT A – FIREWALL

The district would like MIBS services for the following district owned existing equipment

Type of Equipment	Quantity Vendor Should Bid	Preferred Make/Manufacturer
Firewall Service and Components	1	Fortigate 100E

MIBS PROJECT B – NETWORK EQUIPMENT

The district would like MIBS services for the following district owned existing equipment

Type of Equipment	Quantity Vendor Should Bid	Preferred Make/Manufacturer
Router	1	Juniper SRX340
Switches	6	3 x Extreme X440-48P, 3 x Extreme X440-24P
Wireless Access Points	36	ExtremeCloud IQ: Indoor WiFi6 AP

DISQUALIFICATION FACTOR MIBS: Vendors must complete and include the C2 Cover Page with their bid. Bids received without the cover page will be disqualified.

DISQUALIFICATION FACTOR MIBS: Service providers are required to bid the entire Project A and/or Project B. Bids for individual components, or bids that do not include all of the requested items for the project will be disqualified.

There is an additional document associated with this IFCB. Please click the buttons to download the document.

📄 2026_C2_Bidding_Instructions41.pdf
📄 SOUTH_COFFEYVILLE_C2_COVER_PAGE2.pdf

Questions Received with Applicant Answers (Ask Questions?)

Please answer the following in one response: 1. For MIBS Projects A and B, what service level do you require: monitoring hours, response time for problems during and after business hours, and how often the vendor must be on site (only when needed, monthly, quarterly, or a set number of days)? 2. Who manages this equipment today, and what does that service include (on-site visits, hours per month, response times)? 3. The FortiGate 100E reached Fortinet's end of support on August 17, 2026, so no new firmware or manufacturer replacements are available. Does the district plan to replace it? If not, is MIBS for Project A expected to cover only the device as it is? 4. When covered equipment fails, does the district supply the replacement or use the manufacturer warranty, with the vendor installing it? Or must the vendor supply replacement hardware? 5. Do the Juniper SRX340, Extreme switches and access points have active manufacturer support, and are the ExtremeCloud IQ subscriptions active through the contract term? If renewals are needed, who pays for them? 6. Will the MIBS vendor get administrator access to the FortiGate, the SRX340 and the ExtremeCloud IQ account? 7. Please confirm that MIBS covers only the listed equipment and does not include end-user help desk support. 8. What is the MIBS contract term? Is it 12 months starting July 1, 2027, and are there renewal options? 9. The Form 470 marks the 3 UPS units as needing installation and lists 3 "Antennas, Connectors and Related Components" with installation, but the IFCB says no installation and doesn't list those components. Which is correct, and what are the 3 components? If installation is needed, what type are the 3 smaller racks (2-post, 4-post or wall mount)?

Answer:

Service Level Requirements:

For both MIBS Project A and Project B, the district requires network monitoring with a 4-hour response time for problems during standard business hours (7:00 AM – 5:00 PM local time). There are no after-hours response requirements. On-site presence is required on an "only when needed" basis for critical physical troubleshooting that cannot be resolved remotely.

Current Equipment Management:

The listed equipment is currently managed in-house by the district's internal IT department. Present management includes remote configuration, routine maintenance, standard business-hour troubleshooting (8:00 AM – 4:30 PM), and emergency on-site dispatch as needed, with a best-effort response time of 4 hours.

FortiGate 100E Status & Expectations:

The district does not plan to replace the FortiGate 100E anytime soon. As part of MIBS Project A, the vendor is expected to provide ongoing monitoring and maintenance—including applying firmware updates—for the FortiGate firewall.

Replacement Hardware Responsibility:

When covered equipment fails, the district will supply the replacement hardware using active manufacturer warranties or district-funded spares. The vendor's responsibility is limited to installing, configuring, and deploying the replacement device.

Manufacturer Support & Renewals:

The Juniper SRX340, Extreme switches, Extreme access points, and ExtremeCloud IQ subscriptions are actively covered under manufacturer support. Should any licensing or support renewals become necessary during the contract term, the district will pay for them directly.

Vendor Administrator Access:

Yes, the selected MIBS vendor will be granted administrative access to the FortiGate, Juniper SRX340, and the ExtremeCloud IQ portal for the duration of the agreement.

Scope of Support Confirmation:

Confirmed. MIBS coverage applies strictly to the listed network infrastructure equipment and does not include end-user help desk or desktop support.

Contract Term & Renewals:

The initial MIBS contract term is 12 months, commencing July 1, 2027, and ending June 30, 2028. The agreement includes options for up to two (2) voluntary 12-month renewals, subject to annual board approval and E-Rate funding availability.

Equipment & Installation Clarifications:

The district does not require installation for the battery backups (UPS units). Additionally, the district does not have any antenna-type hardware or related components requiring vendor attention.