All bid deadlines are 11:59pm Pacific Time the date of the bid deadline listed unless otherwise noted.

Antlers Indep School Dist I 13

IFCB Posted : Nov 4, 2026

Bid Deadline : Friday, Jan 1, 2027

Questions Due By : Friday, Nov 20, 2026

Applicant Address : Antlers, OK 74523

IFCB ID : 270003575

IFCB Requirements :

- Before the listed deadlines, all Questions and Bids must be submitted using the on-line IFCB system. Bids submitted before the bid deadline outside of this system will be disqualified. If the system is down before the deadline, please email your bid to info@crwconsulting.com or fax it to 918.445.0049. Bids or questions submitted in this fashion will be disqualified if the on-line system is active at the time of submission. The applicant reserves the right to request and obtain bids outside of the website system if the bid deadline has passed and zero or one bid is received (the intent for this is to follow USAC guidance on obtaining cost-effective bids).

- For all requested services and/or products listed on this IFCB: proposals that include generic/encyclopedic price lists will be considered non-responsive and will be disqualified. SPAM and/or robotic responses will not be considered valid bid responses and will be disqualified from consideration.

- Bidder must agree to participate in USF Program (AKA “E-rate”) for the corresponding funding year.

- Please include the correct Service Provider Identification Number (SPIN) on your bid.

- By submitting a bid, bidder certifies that the bidder does have a valid (non-red light status) SPIN for the E-rate program at the time of submission. Should the Applicant discover that the bidder is on red light status, or if the FCC classifies the bidder as on red-light status before work is performed and invoices are paid, the contract will be null and void and the applicant will have no payment obligations to the bidder.

- Bidder is expected to provide the lowest corresponding price per E-rate rules. See https://www.usac.org/e-rate/service-providers/step-2-responding-to-bids/lowest-corresponding-price/ for details.

- Contracts must not prohibit SPIN changes.

- Bidder must agree to provide the Applicant the choice of discount methods (SPI or BEAR).

- Bidder will be automatically disqualified if the District determines that the bidding company has offered any employee of the District any individual gift of more than $20 or gifts totaling more than $50 within a 12 month period.

- All contracts awarded will be contingent upon E-rate funding and final board approval. The applicant may choose to do all or part of the project upon funding notification.

- All applicable fees, surcharges, and taxes must be identified on the bid. E-rate rules require the applicants to evaluate the price of eligible goods and services that will be listed on the 471 application during the competitive bidding process. Fees and surcharges that apply but are not listed on the bid will be the responsibility of the bidding company, should their bid be awarded.

- If there is a request to purchase or lease new equipment, either Category Two or Category One, listed on this IFCB the applicant will accept bids for functionally equivalent equipment.

- DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: The applicant will not accept bids from manufacturers of equipment deemed a national security threat by the Federal Communications Commission. The list of prohibited equipment is available here: https://www.fcc.gov/supplychain/coveredlist . Vendors that submit bids that includes these manufacturers will have their bid disqualified.

- DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Vendors must complete and include the C2 Cover Page with their bid. Bids received without the cover page will be disqualified.

- DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Service providers are required to bid the entire hardware project. Bids for individual components, or bids that do not include all of the requested items for the project will be disqualified.

- DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: It will be the bidder's responsibility to provide documentation about the compatibility requirements listed in this IFCB. Vendors that submit bids without documentation demonstrating the required compatibility listed in this IFCB will have their bids disqualified, unless that vendor has bid the preferred make/model number listed.

- DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Applicant will not accept bids for refurbished equipment. Any bids containing refurbished equipment will be disqualified.

- DISQUALIFICATION FACTOR MIBS: Vendors must complete and include the C2 Cover Page with their bid. Bids received without the cover page will be disqualified.

- DISQUALIFICATION FACTOR MIBS: Service providers are required to bid the entire Project A and/or Project B. Bids for individual components, or bids that do not include all of the requested items for the project will be disqualified.

Services and Equipment Requested :

Category Two:

VOLUNTARY SITE VISIT

Vendors wishing to bid on C2 can attend a voluntary site visit either November 12, 2026 and November 19th, 2026. Vendors should RSVP to Vicki Townsend at vtownsend@antlers.k12.ok.us to set up a time for a site visit on November 12, 2026 and November 19th, 2026. Vendors will meet at 805 Bear Cat Drive Antlers, OK, 74523. **THIS EMAIL IS TO RSVP ONLY. ALL QUESTIONS AND BIDS MUST STILL BE SUBMITTED VIA THE IFCB. BIDS NOT SUBMITTED VIA THE IFCB WILL BE DISQUALIFIED.**

INTERNAL CONNECTIONS

Installation and configuration needed for the entire project.

Type of Equipment	Quantity Vendor Should Bid	Preferred Make/Manufacturer
Cabling	15	CAT 6 cabling drops
UPS/Battery Backup	10	CyberPower UPS 1500VA/1000W
Wireless Access Points	5	Ubiquiti Unifi AP/AC Pro

COMPATIBILITY REQUIREMENT:

All equipment must be compatible with existing Ubiquiti controller.

DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: The applicant will not accept bids from manufacturers of equipment deemed a national security threat by the Federal Communications Commission. The list of prohibited equipment is available here: https://www.fcc.gov/supplychain/coveredlist . Vendors that submit bids that includes these manufacturers will have their bid disqualified.

DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Vendors must complete and include the C2 Cover Page with their bid. Bids received without the cover page will be disqualified.

DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Service providers are required to bid the entire hardware project. Bids for individual components, or bids that do not include all of the requested items for the project will be disqualified.

DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: It will be the bidder's responsibility to provide documentation about the compatibility requirements listed in this IFCB. Vendors that submit bids without documentation demonstrating the required compatibility listed in this IFCB will have their bids disqualified, unless that vendor has bid the preferred make/model number listed.

DISQUALIFICATION FACTOR INTERNAL CONNECTIONS: Applicant will not accept bids for refurbished equipment. Any bids containing refurbished equipment will be disqualified.

Managed Internal Broadband Service (MIBS):

MIBS PROJECT A - FIREWALL

The district would like MIBS services for the following district owned existing equipment

Type of Equipment	Quantity Vendor Should Bid	Preferred Make/Manufacturer
Firewall Service and Components	1	Fortinet Fortigate 201G

MIBS PROJECT B – SWITCHES/WAPS

The district would like MIBS services for the following district owned existing equipment

Type of Equipment	Quantity Vendor Should Bid	Preferred Make/Manufacturer
Switches	44	Ubiquiti Unifi Switch
Wireless Access Points	44	Ubiquiti Unifi AC PRO

DISQUALIFICATION FACTOR MIBS: Vendors must complete and include the C2 Cover Page with their bid. Bids received without the cover page will be disqualified.

DISQUALIFICATION FACTOR MIBS: Service providers are required to bid the entire Project A and/or Project B. Bids for individual components, or bids that do not include all of the requested items for the project will be disqualified.

There is an additional document associated with this IFCB. Please click the buttons to download the document.

2026_C2_Bidding_Instructions74.pdf

ANTLERS_C2_COVER_PAGE2.pdf

Questions Received with Applicant Answers (Ask Questions?)

1. The preferred AP model (Ubiquiti UniFi AP AC Pro) is end-of-life and no longer sold new. Will the district accept UniFi U7 Pro access points or name a currently available AP model? 2. What is the intended MIBS service period (FY2027 only, or a multi-year contract with voluntary extensions)? 3. What response times does the district expect for remote response and for on-site response to critical outages? 4. Will the district provide the MIBS provider persistent administrative access to the UniFi controller and FortiGate (dedicated admin accounts and remote access)? 5. Is network equipment currently managed by a third party? If so, is existing documentation (topology, VLANs, IP scheme, config backups) available to the awarded provider? 6. Please identify the existing UniFi controller platform (cloud/Site Manager, UniFi OS console model, or self-hosted) and current Network application version, so bidders can document compatibility.

Answer:

Question :
1. The preferred AP model (Ubiquiti UniFi AP AC Pro) is end-of-life and no longer sold new. Will the district accept UniFi U7 Pro access points or name a currently available AP model?
YES – will accept latest model.
2. What is the intended MIBS service period (FY2027 only, or a multi-year contract with voluntary extensions)?
Multi-year
3. What response times does the district expect for remote response and for on-site response to critical outages?
24hours
4. Will the district provide the MIBS provider persistent administrative access to the UniFi controller and FortiGate (dedicated admin accounts and remote access)?
YES
5. Is network equipment currently managed by a third party? If so, is existing documentation (topology, VLANs, IP scheme, config backups) available to the awarded provider?
Topology, etc will be provided.
6. Please identify the existing UniFi controller platform (cloud/Site Manager, UniFi OS console model, or self-hosted) and current Network application version, so bidders can document compatibility.
Self-hosted -
Network 9.1.120

Antlers Indep School Dist I-13, IFCB 270003575: Vendor Questions Internal Connections: Cabling For the 15 Cat6 drops, please list the building and room for each drop, and the closest network closet (IDF/MDF) that each drop will terminate in. Please give approximate cable run lengths for each drop. Floor plans or photos showing drop locations and closet locations would also work. Are the drops expected to terminate on a jack at the station end and a patch panel in the closet? Is there existing patch panel capacity, or should new patch panels be included? What ceiling types are in the affected areas (drop ceiling, hard lid, open structure)? Do any runs require plenum-rated cable, conduit, surface raceway, or a lift? Are any of the drops for exterior locations or for the new access points? Must installation take place outside school hours or during a specific window (e.g., summer break)? Internal Connections: Wireless Access Points and UPS The Ubiquiti UniFi AP AC Pro has been discontinued by most authorized distributors. Will the district accept a current-generation Ubiquiti UniFi access point as a functionally equivalent model, with documentation demonstrating compatibility with the existing controller? Will the 5 new access points be powered by existing PoE switch ports? If so, please identify the switch models feeding those locations. Where will the 10 UPS units be installed, and what equipment will each one support? Are network management cards required? Existing Controller Is the existing UniFi controller on-premises (Cloud Key, UniFi Dream Machine, or self-hosted server) or cloud-hosted, and what UniFi Network application version is it running? Will the district accept the selected vendor migrating management of the existing UniFi equipment to a vendor-hosted UniFi console, with the district retaining administrative access? MIBS Project A: Firewall Does “Firewall Service and Components” include renewal of FortiGuard and/or FortiCare licensing for the FortiGate 201G? If so, which licenses are currently on the unit and when do they expire? Is the FortiGate 201G deployed as a single unit or in a high-availability pair? MIBS Projects A and B: Service Expectations What response times, onsite visit frequency, and reporting does the district expect under the MIBS services? Please confirm the MIBS service term is July 1, 2027 through June 30, 2028. For Project B, please provide the model numbers of the 44 UniFi switches and the number of buildings they are spread across.

Answer:

Question :
Antlers Indep School Dist I-13, IFCB 270003575: Vendor Questions Internal Connections: Cabling For the 15 Cat6 drops, please list the building and room for each drop, and the closest network closet (IDF/MDF) that each drop will terminate in. Please give approximate cable run lengths for each drop. Floor plans or photos showing drop locations and closet locations would also work.
We currently do not have a plan for each drop.

There are multiple buildings, average length would be 100’.
Are the drops expected to terminate on a jack at the station end and a patch panel in the closet?
Yes
Is there existing patch panel capacity, or should new patch panels be included?
No
What ceiling types are in the affected areas (drop ceiling, hard lid, open structure)?
Drop ceilings
Do any runs require plenum-rated cable, conduit, surface raceway, or a lift?
No
Are any of the drops for exterior locations or for the new access points?
No exterior, two for new access points.
Must installation take place outside school hours or during a specific window (e.g., summer break)?
Summer break is preferred.
Internal Connections: Wireless Access Points and UPS The Ubiquiti UniFi AP AC Pro has been discontinued by most authorized distributors. Will the district accept a current-generation Ubiquiti UniFi access point as a functionally equivalent model, with documentation demonstrating compatibility with the existing controller?
Yes
Will the 5 new access points be powered by existing PoE switch ports?
Yes.
If so, please identify the switch models feeding those locations.
Ubiquiti, UniFi Switch Pro 48p PoE - 600w PoE 4x 10G Uplink
Where will the 10 UPS units be installed, and what equipment will each one support?
Different network closets across campus.

3-4 network switches
Are network management cards required?
No.
Existing Controller Is the existing UniFi controller on-premises (Cloud Key, UniFi Dream Machine, or self-hosted server) or cloud-hosted, and what UniFi Network application version is it running?
Self-hosted -
Network 9.1.120
Will the district accept the selected vendor migrating management of the existing UniFi equipment to a vendor-hosted UniFi console, with the district retaining administrative access?
No
MIBS Project A: Firewall Does “Firewall Service and Components” include renewal of FortiGuard and/or FortiCare licensing for the FortiGate 201G? If so, which licenses are currently on the unit and when do they expire?
Yes.

License expires September 2027

Is the FortiGate 201G deployed as a single unit or in a high-availability pair?
Single unit
MIBS Projects A and B: Service Expectations What response times, onsite visit frequency, and reporting does the district expect under the MIBS services?
24 hour response.

Quarterly onsite visits.
Please confirm the MIBS service term is July 1, 2027 through June 30, 2028.
Yes, at a minimum. You may propose a one year contract with multiple voluntary one year renwals.
For Project B, please provide the model numbers of the 44 UniFi switches and the number of buildings they are spread across.

Ubiquiti, UniFi Switch Pro 48p PoE - 600w PoE 4x 10G Uplink.10 buildings.

Can you confirm the firewall licenses currently on the firewall so that we can include the renewal on MIBS A? And/Or provide the device serial number?

Answer:

The serial number is FG2H1GT924901097 and the license is good through September 30, 2027.